ACKNOWLEDGEMENT AND RECORD OF SPCC INSPECTION AND PLAN REVIEW ONSHORE OIL PRODUCTION FACILITIES

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY – REGION 6

1445 Ross Avenue, 6 SF-PO, Dallas, Texas 75202-273.

SPCC.Inspection #: FY-INSP 1.0 0 1.2 St. FRRID: FRP-06-1
SPCC Inspection Date: 4ルじいの Time 34 > 44 FRP Inspection Date: Time: # 1
Name of Facility: Boyou Bouillon Field
Latitude: 30°16'34 9" Longitude: 91°35' 07.6" Source: 59cc Plan
Facility Address/Location: Wheskey Bon Pilot Engine
☐ Tribal Land Reservation Name:
City: Rameh County/Parish: Iberville State: LA Zip:
Facility Contact: Shewn Kash Title: E122 S coord shelow
Telephone Number: 337-303-5195 Email: SKally @hilenre.com
Name of Howner/ Hoperator: Hilen-p Ening Compons
Address: P. O. Box 61229
City: 1+0uston State: TL Zip: 77209-1229
Contact: Henri de Launes Title: Elds manage
Telephone Number: 713-209-2460 Email:
Synopsis of Business: 713-209-2400 Oillgas production
How many employees work at this facility? Y NAICS #: 211111
If unmanned, how many employees maintain this facility?
Is the Facility: Unattended Attended(Daily (8 hr) Daily (24 hr) Periodically)
Route of Entry to Waterway: west to whoskey Bay Vilat Channel & Bagos
Beuillan
Distance to waterway (in feet):
Relative direction to water body: Elevation above water body (ft):
SPCC inspector name: FRP. inspector name:
Team members:
SPCC Plan review by:
Date of review:
Caso di Francia
Acknowledgement of Inspection
ompany Contact: Title: EHas Coodinator
spector: Damol Title: Instead - Explosion
9679725

SPCC Insp. #: FY-INSP-____

Page 1

/ersion 15, 11/03/2009

Memorandum Of Understanding (Check-all applicable descriptions)							
Non-Trans	portation Rela	ted		Tra	insportation Re	lated	
☐ EPA			uscg		☐ MMS		OPS
	17,4 174	A Serial F	acility.Type				
Onshore Oil:			Offshor	e Oil:			
Production		Orilling/workover	☐ Drilli	ng, Produ	ction and Work	over	
☐ Bulk Storage (check a	ill applicable desc	criptions)	••		•		
☐ Aviation	☐ Federal Fac	cility	Petroleum l	Distributor	r 🔠	Service S	Station
☐ Animal Fats & Oils	☐ Gathering F	acility	Petroleum N	_	4 - 5	Transpor	ter (Truck/Rail)
Asphalt Paving	☐ Hospital		Pipeline Bul	k Storage		Tribal	
Asphalt Coatings		ng, Lube/Grease	☐ Railroad —			Utilities	
Auto Dealership	☐ Marina		Remediation	n/Recyclin	ng 🔲	State	
☐ Bulk Packing	☐ Military		Refinery			Local	
Concrete/Cement	☐ Mining		Rental Car			Other:	· ·
Crude Petroleum	☐ Natural Gas		☐ Sand & Gra		y <u> </u>		·
Farm	☐ Petrochemic	cal	☐ School/Uni	versity			
# /*			e Storage Conta applicable descripti				
Aboveground Storage Tanks		derground torage Tanks	☐ Drums		ant piping g flow lines)	Othe	r containers
☐ Mobile/portable stora Units		rface ndments	☐ Lagoons	☐ Equi	pment		
The State of the S			rage Function applicable description	ons)			
☐ Transferring ☐ □	istributing [Processing	☐ Gathering	☐ Co	onsuming/Using		Operations
		Facility	Storage Capaci	ties			
AST Storage Capacity (ga	al):	UST Storage Ca	apacity (gal):		Total Facility C	apacity (g	jal):
336,169	· .		U)A		336.	169	
Types of Oil Stored: Grude oil Ga Other:	asoline 🗌	Diesel 🗌 F	Fuel oil 🔲 Je	t fuel	☐ Vegetable	oil/animal	fats, grease
Organizacji (Antesio	[683][B][835](00]	් ජිව්ලාම					YES NO
The aggregate abovegrou	and storage cap	acity is 10,000 G	allons or less 112.	3(g)(1) <u>AN</u>	<u>D</u>		YES NO
The facility has had no sir discharges exceeding 42 Plan self-certification date than three years. (Note: 0 included in this qualification	U.S. gallons wi e, or since beco Oil discharges t	thin any twelve-m ming subject to th hat result from na	onth period in the ne rule if the facility	three yea y has bee	ars prior to the S n in operation fo	PCC r less	☐ YES ☐ 46
Is the facility considered a Countries of the SPCC Plan, the				the own	er/operator has se	elf	YES NO

GENERAL APPLICABILITY - 40 CFR 1.12.1
Does the facility maintain an aggregate aboveground oil storage capacity of over 1,320 gallons, and/or completely burjed oil
storage capacity of over 42,000 gallons?
and
Is the facility engaged in drilling, producing, gathering, storing, processing, refining, transferring, distributing, using, or
consuming oil and oil products, which due to its location could reasonably be expected to discharge oil into or upon the
navigable waters of the United States (as defined in 40 CFR 110.1)?
If YES to both, the facility is regulated under 40 CFR 112.
Note: The following storage capacity is not considered in determining applicability of SPCC requirements:
- Completely buried tanks subject to all the technical requirements of 40 CFR 280 or a state program approved under 40 CFR 281.
- Equipment subject to the authority of the U.S. Department of Transportation, U.S. Department of the Interior, or Minerals Management
Service, as defined in Memoranda of Understanding dated November 24, 1971, and November 8, 1993.
- Any facility or part thereof used exclusively for wastewater treatment and not used to satisfy SPCC requirements.
- Containers smaller than 55 gallons.
- Permanently closed containers.

FACILITY RESPONSE PLAN (FRP) APPLICABILITY		
Does the facility transfer oil over water to or from vessels and has a total oil sto equal to 42,000 gallons?	orage capacity greater than or	TES NO
Or, Does the facility have a total oil storage capacity of at least 1 million gallons, And, at least one of the following is true:		YES 140
The facility does not have secondary containment sufficiently large enough largest aboveground tank plus sufficient freeboard for precipitation.	to contain the capacity of the	YES HO
The facility is located at a distance such that a discharge could cause injury sensitive environments.	to fish and wildlife and	AYES NO
The facility is located such that a discharge would shut down a public drinki	ng water intake.	YES MO
The facility has had a reportable discharge greater than or equal to 10,000	gallons in the past 5 years.	□ YES □ NO
If YES to any of the above, the facility is a non-transportation related onshore implement a FRP as outlined in 40 CFR 112.20.	facility required to prepare and	
Does the facility maintain a FRP? ☑YES ☐ NO ☐ Not Required	FRP Number: FRP-06-	
Does the Plan include a signed copy of the Certification of the Applicability of t per 40 CFR Part 112.20(e)? Attachment C-II	he Substantial Harm Criteria	YES NO
Comment: Sub-trava crs borsa certa free trus would impach Explusied 15 for 2 3000;	. ———	<u>Rehigue</u>

REQUIREMENTS FOR PREPA		新 工业之间在关键和,但是在15年的研究。于14年的	20、19年17、中国设计学中国政治的政治企业。19、19年至18月	enderstation fra the control of the
Facility Startup Date:	Date of initial SPCC Plan p	reparation: C	urrent Plan version (dat	, to the state of
For facilities (excluding farms) in op 2009? 112.3(a) YES NO		002, was the Plan	amended and impleme	nted by November 10,
For facilities (excluding farms) beging fully implemented by November 10,			<u>November</u> 10, 2009, is	the Plan prepared and
For facilities beginning operation aff	ter November 10, 2009, was t	the Plan impleme	nted before beginning	operations? 112.3(b) &
Is an SPCC Plan prepared?	ES NO N/A			
Professional Engineer certification I	must include statements that	the PE attests to	112.3(d)	
He/she is familiar with the requirem	ents of the SPCC rule. (i)	YES NO	D □ N/A	
He/she or his/her agent has visited	and examined the facility. (ii)	YES 🗆	NO N/A	:
The Plan has been prepared in acc standards, and with the requiremen	ordance with good engineerings of the SPCC rule (iii)	ng practice, inclui	ling consideration of ap	plicable industry
Procedures for required inspections	s and testing have been estat	olished(iv) 🔲 Yi	ES NO NA	
The Plan is adequate for the facility	(v) YES NO	Ŋ/Ą		
Is the SPCC Plan fully PE certified?	•	(ertification: 2/2	0 0 9
Name of Professional Engineer:License Number:		State:	-12-	
Is an SPCC Plan available for revie				
Management of the Action Action	w? 🛮 YES 🗌 NO 📗	Is an SPCC Plan	n maintained on site?	TES NO
(During normal working hours) 112	$\overline{\cdot}$, $\overline{\cdot}$		n maintained on site? ours/day, excluding oil p	
(During normal working hours) 112 AMENDMENT OF SPEC PLAN	.3(e)(2)	(For at least 4 h	ours/day, excluding oil p	
AMENDMENT OF SPEC PLAN	.3(e)(2)	(For at least 4 he 112.3(e)(1)	ours/day, excluding oil p	production facilities)
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of	BY REGIONAL ADMINIS t this facility of more than 1,00 more than 42 gallons in the p	(For at least 4 hours) 112.3(e)(1) STRATOR (RA 00 gallons? 112.4 past 12 months?	ours/day, excluding oil p	D N/A NO N/A
AMENDMENT OF SPEC PLAN Have there been reportable spills a	BY REGIONAL ADMINIS t this facility of more than 1,00 more than 42 gallons in the p	(For at least 4 hours) 112.3(e)(1) STRATOR (RA 00 gallons? 112.4 past 12 months?	ours/day, excluding oil p	oroduction facilities)
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of If YES to either, was information su	BY REGIONAL ADMINIS t this facility of more than 1,00 more than 42 gallons in the p	(For at least 4 hours) 112.3(e)(1) STRATOR (RA 00 gallons? 112.4 past 12 months?	ours/day, excluding oil p	D N/A NO N/A
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of If YES to either, was information su Date of spills:	BY REGIONAL ADMINIS t this facility of more than 1,00 more than 42 gallons in the p	(For at least 4 hours)	ours/day, excluding oil p	D N/A NO N/A
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of If YES to either, was information su Date of spills:	BY REGIONAL ADMINIST this facility of more than 1,00 more than 42 gallons in the pubmitted to the RA as required	(For at least 4 hours)	ours/day, excluding oil p	D N/A NO N/A
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of If YES to either, was information su Date of spills:	BY REGIONAL ADMINIST this facility of more than 1,00 more than 42 gallons in the pubmitted to the RA as required	(For at least 4 hours)	ours/day, excluding oil p	D N/A NO N/A
AMENDMENT OF SPEC PLAN Have there been reportable spills a Or, has the facility had two spills of If YES to either, was information su Date of spills:	BY REGIONAL ADMINIST this facility of more than 1,00 more than 42 gallons in the pubmitted to the RA as required	(For at least 4 hours)	ours/day, excluding oil p	D N/A NO N/A

AMENDMENT OF SPCC PLAN BY THE OWNER OR OPERATOR—40 CF	R 112.5			
Has there been any change of facility design (construction, operation, or maintenance discharge? (112.5a) YES NO N/A	e) that could a	ffect the	facility's po	tential for
If YES, was the amendment within 6 months and was a plan change Yes N	lo or a desig	n change	e ∐ Yes [☐ No
			·	
Is the SPCC Plan reviewed and evaluated every 5 years? YES NO NO	·			
If amended and implemented (if necessary), is it documented in the Plan (sign off she	eet)? 112.5(b)	⊔ YES	⊔ ио	∐ N/A
Date of latest change: Certification #:				
Name of PE certifying amendments 112.5(c) (Except for self certified Plans):				•
License #: State: Date of Certification:			_	
Reason for amendment:			····	
Comment:				
	•			
		,		
				,
		· · · · · · · · · · · · · · · · · · ·		·
GENERAL REQUIREMENTS FOR SPCC PLANS 112-7(à-d)	Plan Rev	iew	Field Ve	rification
Does the SPCC Plan indicate (by signature and date) that management has		•	1 :	
approved the plan? 112.7	YES TINO	□ N/A		
	TYES NO	□ N/A		
Mgmt Personnel Name:	YES NO	□ N/A		
Mgmt Personnel Name: Henri de Lauray.	YES NO		0 461	<i>i</i> >
Mgmt Personnel Name: de Lauras Mgmt Personnel Title: Does the Plan format follow the sequence in the rule? 112.7 or		□ N/A	७ ५५।	<i>(</i> >
Mgmt Personnel Name: Mgmt Personnel Title: Does the Plan format follow the sequence in the rule? 112.7 or If no, is a cross-reference provided?	YES NO	□ N/A	७ ५५।	<i>(</i>)
Mgmt Personnel Name: de Lauras Mgmt Personnel Title: Does the Plan format follow the sequence in the rule? 112.7 or	YES NO	□ N/A	<i>O</i> 4141	<i>(</i> 2
Mgmt Personnel Name:	YES NO	□ N/A □ N/A ⊠ N/A	७ ५५।	<i>i</i> ?
Mgmt Personnel Name:	YES NO	□ N/A □ N/A ⊠ N/A	0 4111	•
Mgmt Personnel Name:	YES NO	□ N/A □ N/A ⊠ N/A ⊠ N/A	0 4111	•
Mgmt Personnel Name:	YES NO	□ N/A □ N/A ⊠ N/A ⊠ N/A	<i>6</i> 41/11	
Mgmt Personnel Name:	YES NO	□ N/A □ N/A □ N/A	७ ५५।	•
Mgmt Personnel Name:	YES NO	□ N/A □ N/A □ N/A	0 411	
Mgmt Personnel Name:	YES NO	□ N/A □ N/A □ N/A □ N/A	Ø 41/1	•
Mgmt Personnel Name:	YES NO	□ N/A □ N/A □ N/A □ N/A	<i>७</i> ५५।	
Mgmt Personnel Name:	YES NO	□ N/A □ N/A □ N/A □ N/A □ N/A	O 411	

Does the Plan contain a facility diagram? 112:7(a)(3)	☐ YES ☐ NO ☑ N/A	☐ YES ☐ NO 図 N/A
Does the diagram include:		
The location and contents of each container ? and	☐ YES ☐ NO ☑ N/A	☐ YES ☐ NO ☑ N/A
Completely buried storage tanks? and	☐YES ☐ NO Ø N/A	□YES □NO ØN/A
Transfer Stations?; and	☐ YES ☐ NO 図 N/A	☐ YES ☐ NO ☑ N/A
*Connecting pipes?	☐ YES ☐ NO ☑ N/A	□YES □NO ☑N/A
Is there a description in the Plan of the physical layout of the facility and includes: 112.7(a)(3)	Ø YES □ NO □ N/A	
	PYES NO N/A	DV50 DV0 DV4
- The type of oil in each container and its storage capacity? 112.7(a)(3)(i)		YES DINO DINA
 Discharge prevention measures including procedures for routine handling of products? 112.7(a)(3)(ii) 	YES NO NA	□YES □ NO □ N/A
- Discharge or drainage controls, such as secondary containment around	TES NO NA	□YES □NO □N/A
containers, and other structures, equipment, and procedures for the control of a discharge? 112.7(a)(3)(iii)	·	erester
-!Countermeasures for discharge discovery response; and cleanup (including facility and contractor resources)? 1127(a)(3)(iv	☐ YES ☐ NO ☑ N/A	□YES □NO ⊠N/A
Methods for disposal of recovered materials in accordance with applicable legal requirements? 1122/(a)(3)(v)	□YES □NO ☑N/A	
Contact list and phone numbers for the facility response coordinator NRC, cleanup contractors, and federal, state, and local agencies who must be notified in the case of a discharge as described in \$112.1(b)? 112.7(a)(3)(v)	□YES □NO ☑N/A	
Does the Plan include information and procedures for reporting a discharge (exact location, phone number, date/time of material discharged, quantity, actions taken, evacuations, notifications, (names/organizations etc.)? 112.7(a)(4)	YES NO NA	
Does the Plan include procedures to use when a discharge may occur? 112.7(a)(5)	DYES DNO DN/A	
Does the Plan include a prediction and description of major equipment failure(s)	DYES NO N/A	
that could result in a discharge from the facility per 40 CFR 112.7(b)?	D1128 B100 B100	
direction, rate of flow, and total quantity of oil		
Does the Plan discuss appropriate containment and/or diversionary structures/equipment (dikes, berms, retaining walls, curbing, culverts, gutters/drain	PYES NO NA	YES NO NA
systems, weirs, boom, diversion/retention ponds, sorbent material) and is sufficiently impervious to contain oil. per 40 CFR 112.7(c)		erosish
Has it been determined in the Plan, that the installation of structures or equipment (containment) is not practicable /? 112.7(d) If YES, check ☐ then 40 CFR Part 109 Checklist must be filled out and,	YES NO ZINA	
- Is the impracticability clearly demonstrated?	YES NO NA	
 For bulk storage containers, is periodic integrity testing of containers and leak testing of the valves and piping associated with the container conducted? 	LYES NO PINA	□YES □NO PINIA
	DVEC DUC DVC	
- Is a strong contingency plan per 40 CFR 109 provided? 112.7(d)(1)	YES NO NA	
 Is a written commitment of manpower, equipment, and material (to control and remove any quantity of oil discharged) provided in the SPCC plan? 112.7(d)(2 	YES NO DATA	

Comment:		
· · · · · · · · · · · · · · · · · · ·	·	
		_
INSPECTIONS: TESTS, AND RECORDS 112.7(e)	/Plan Review	Field Verification
And increasing and tools are yield by 40 CFR 442 conducted in great and with	☐ YES ☑ NO ☐ N/A	☐YES ☐NO ☐N/A
Are inspections and tests required by 40 CFR 112 conducted in accordance with written procedures developed for the facility? 112.7(e)	LIES BING LINA	I ILO DAIO LINA
If Yes, are written procedures, records of inspections and/or customary business records:		
- Signed by the appropriate supervisor or inspector?	TYES NO NA	YES NO NA
- Kept with the SPCC Plan?	TYES NO NA	YES NO NA
- Maintained for a period of three (3) years?	YES NO NA	YES PNO NA
		W
som provided Ne records of make		
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f)	Plan Review	Field Verification
PERSONNEL TRAINING AND DISCHARGE PREVENTION	Plan Review	Field Verification
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f)	Plan Review . □ YES □ NO □ N/A	Field Verification Field Verification N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of		
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of oil?	☐YES □ NO □ N/A	□YES □ NO □ N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES: 112.7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of oil? - Discharge procedure protocols (discovery and notification)?	OYES ONO NA	□YES □ NO □ N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of oil? - Discharge procedure protocols (discovery and notification)? - Applicable pollution control laws, rules, and regulations?	OYES ONO ONA	DYES DNO DN/A DYES DNO N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 1.12.7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of oil? - Discharge procedure protocols (discovery and notification)? - Applicable pollution control laws, rules, and regulations? - General facility operations?	□YES □NO □N/A □YES □NO □N/A □YES □NO □N/A □YES □NO ☑N/A	□YES □ NO □ N/A □YES □ NO □ N/A □YES □ NO □ N/A □YES □ NO ☒ N/A
PERSONNEL TRAINING: AND DISCHARGE PREVENTION PROCEDURES 112:7 (f) Are oil handling personnel trained on: 112.7(f)(1) - The operation and maintenance of equipment to prevent the discharge of oil? - Discharge procedure protocols (discovery and notification)? - Applicable pollution control laws, rules, and regulations? - General facility operations? - The contents of the Plan?	☐YES ☐NO ☐N/A ☐YES ☐NO ☐N/A ☐YES ☐NO ☐N/A ☐YES ☐NO ☑N/A ☐YES ☐NO ☑N/A	□YES □NO □N/A □YES □NO □N/A □YES □NO □N/A □YES □NO ☑N/A □YES □NO ☑N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f) Are oil handling personnel trained on: 112.7 (f)(1) - The operation and maintenance of equipment to prevent the discharge of oil? - Discharge procedure protocols (discovery and notification)? - Applicable pollution control laws, rules, and regulations? - General facility operations? - The contents of the Plan? Is there a designated person accountable for spill prevention? 112.7 (f)(2)	☐YES ☐NO ☐N/A ☐YES ☐NO ☐N/A ☐YES ☐NO ☐N/A ☐YES ☐NO ☑N/A ☐YES ☐NO ☑N/A	□YES □NO □N/A □YES □NO □N/A □YES □NO □N/A □YES □NO ☑N/A □YES □NO ☑N/A
PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7 (f) Are oil handling personnel trained on: 112.7(f)(1) The operation and maintenance of equipment to prevent the discharge of oil? Discharge procedure protocols (discovery and notification)? Applicable pollution control laws, rules, and regulations? General facility operations? The contents of the Plan? Is there a designated person accountable for spill prevention? 112.7(f)(2) Name and title of individual?	□YES □NO □N/A □YES □NO □N/A □YES □NO ☑N/A □YES □NO ☑N/A □YES □NO ☑N/A	□YES □NO □N/A □YES □NO □N/A □YES □NO □N/A □YES □NO ☑N/A □YES □NO ☑N/A □YES □NO ☑N/A

enser were les		
	*	•
	•	
ACILITY TANK CAR AND TANK TRUCK LOADING/UNLOADING RACK excluding offshore facilities) 112.7(h-j) [Note: In general, production tank batteries will not have a loading/unloading rack system).	Plan Review	Field Verification
nvironmental Equivalence . 11 (If environmental equivalence déclared by PE complète pendix D of this checklist)		
Does the facility have a loading/unloading/transfer <u>area?</u> If yes,	GYES NO N/	YES NO NA
- Does the facility have containment consistent with 112.7(c) as required by 12.1(a)(1)/112.7? If NO,	THES NO NO	A YES NO NA
- Does the facility meet the containment provisions consistent with 112.9 (c)(2)?	DIES NO N/	A PYES NO NA
Does the facility contain a loading/unloading <u>rack</u> ? If Yes,	□ YES □ NO □	A YES NO NO NA
Ooes drainage from loading/unloading areas and/or locations (adjacent to the badding or unloading racks) flow to catchment basin(s), or	TYES NO DANA	A YES NO DAVA
- Treatment system? 112.7(h)(1)	□ YES □ NO □ NA	A DYES NO DAMA
- If NO to either, is quick drainage system used?	YES NO DA	A YES NO DWA
Are containment systems designed to hold at least the maximum capacity of any argest single compartment of a tank car or tank truck (when at the bading/unloading rack)?	□YES □NO □M	A DYES DNO DWA
s there a system used to prevent departure (tank trucks/tank cars) before completing the disconnection from transfer lines? 112.7(h)(2) EE	YES NO M	A YES NO PANA
If YES, are there:		
- Interlocked warning lights? or,	YES NO 1 N	A YES NO DINA
- Physical barrier systems (i.e., wheel locks)? or,	YES NO EN	A YES NO NA
- Warning signs? or,	/	A TYES INO MA
- Vehicle brake interlock system	YES NO N	A DYES NO DAVA
Are tank cars/tank trucks lower most drains and all outlets inspected for discharges prior to filling and departure? 112.7(h)(3), (note; do procedures ensure that they are ghtened, adjusted, or replaced to prevent liquid discharge while in transit)	☐YES ☐ NO ØN	A YES NO DAYA
EE 🗍		

Comment		· ·
	,	
		·
	N _e	
	}	
Does∖the Plan include a risk analysis and/or evaluation of field constructed	☐ YES ☐ NO 図 N/A	☐YES ☐ NO Ø N/A
aboveground tanks for brittle fracture after tank repair/alteration/ or when a change in service has occurred?: 112.7(i)		
Comment		'
Does the Plan include a discussion of conformance with applicable requirements of	DVC DVC BAVA	☐YES ☐ NO ☑N/A
the SPEC rule or any applicable state rules, regulations, and guidelines and other	YES. NO NA	L LES LINO MIN/A
effective discharge prevention and containment procedures listed in 40 CFR Part		
1127:11270		
Comment		[
SERVICE APPROPRIATE TO SERVICE THE SERVICE THE SERVICE AND A SERVICE PROPERTY AND A SERVICE AND A SE		
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY	Plan Review	Field Verification
SERVICE APPROPRIATE TO SERVICE THE SERVICE THE SERVICE AND A SERVICE PROPERTY AND A SERVICE AND A SE	Plan Review	Field Verification
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage	Plan Review □ YES □ NO ☑ N/A	Field Verification
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in		
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the		
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in		
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from		
GUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within	□YES □NO 121N/A	YES NO PATA
GUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY. CONTAINMENT OPTION 112:7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from	□YES □NO 121N/A	YES NO PATA
QUALIFIED OIL-FILLED OPERATIONAL-EQUIPMENT SECONDARY. CONTAINMENT OPTION 112:7(k). Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or,	YES NO DAVA	YES NO PATA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION: 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any	□YES □NO 121N/A	YES NO MA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY. CONTAINMENT OPTION 112.7(k). Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to	YES NO DAVA	YES NO MA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION: 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any	YES NO DAVA	YES NO MA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both,	YES NO DAVA	YES NO MA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION:112.7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to	YES NO DAVA	YES NO NO NIA
GUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112:7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both,	YES NO DAVA	YES NO NO NIA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k). Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both, -Has the facility met the criteria for the secondary containment option? If YES for either, secondary containment is required. See 112.7(c).	YES NO DAVA	YES NO DAVA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION: 112:7(k) Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both, -Has the facility met the criteria for the secondary containment option?	YES NO DAVA	YES NO DAVA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY. CONTAINMENT OPTION 112:7(k). Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both, -Has the facility met the criteria for the secondary containment option? If YES for either, secondary containment is required. See 112.7(c). If NO and no secondary containment is provided, then:	YES NO DN/A YES NO DN/A YES NO DN/A YES NO DN/A	YES NO NO NIA
QUALIFIED OIL-FILLED OPERATIONAL EQUIPMENT SECONDARY CONTAINMENT OPTION 112.7(k). Is there qualified oil-filled operational equipment at the facility? (Oil storage containers and associated piping intrinsic to the operation of the equipment in which the oil is present solely to support the function of the apparatus or the device.) If YES, Has the facility had a single reportable discharge as described in §112.1(b) from any oil-filled operational equipment exceeding 1,000 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, and/or, Has the facility had two reportable discharges as described in §112.1(b) from any oil-filled operational equipment each exceeding 42 U.S. gallons occurred within any 12-month period within the three years prior to Plan certification date?, if NO to both, -Has the facility met the criteria for the secondary containment option? If YES for either, secondary containment is required. See 112.7(c).	YES NO DAVA	YES NO DAVA

- Does the facility maintain a Facility Response Plan? 112.7(k) (2)(ii), OR	☐ YES ☐ NO MIN/A	YES NO DMA
Is there a Contingency plan following 40 CFR part 109 (see Appendix C checklist) is provided? AND	□YES □ NO Æ N/A	YES NO MA
 Is there a written commitment of manpower, equipment, and materials required to control and remove any quantity of oil discharged that may be harmful? 	YES NO NA	YES NO NA
Comment		
CANTESCONO MENANDAN NAMBER OF ALMS SERVICES OF THE SERVICES OF	Decrees who being the control of the	Difference on the same analysis of a special production of the same of the sam
OIL PRODUCTION FACILITY DRAINAGE 112.9 (b) Note: See Tank and Secondary Containment Forms Environmental Equivalence. (If environmental equivalence declared by PE; complete Appendix D of this checklist)	Plan Review	Field Verification
At tank batteries, separation and treating areas where there is a reasonable possibility of a discharge, is drainage closed and sealed at all times except when draining uncontaminated rainwater? 112.9(b)(1) If YES,	PYES NO N/A	YES NO NA
- Is accumulated oil on the rainwater removed and returned to storage or dispose of in accordance with legally approved methods? 112.9(b)(1)	ØYES □ NO □ N/A	DÆES DNO DN/A
Prior to drainage of the diked area(s), is the rainwater:		
- Inspected to ensure that its presence will not cause a discharge? 112.8(c)(3)(ii) EE □	DYES □ NO □ N/A	PES NO NA
- Bypass valves opened and resealed under supervision? 112.8(c)(3)(iii-) EE □	□YES □ NO □ N/A	□YES □ NO □ N/A
Are adequate records of rainwater drainage events documented and maintained? 112.8(c)(3)(iv) EE	□XES □NO □N/A	□ VES □ NO □ N/A
Are field drainage systems (ditches, oil traps, sumps, or skimmers) inspected for accumulation of oil? 112.9(b)(2) If Yes, EE □	□YES □ NO □ N/A	DYES NO N/A
- Is accumulated oil promptly removed? EE □	DIES NO NA	YES NO NA
Comment		
·		
	·	

OIL PRODUCTION FACILITY BULK STORAGE CONTAINERS 112.9 (c)	Plan Review	Field Verification
Environmental Equivalence 🔲 (If environmental equivalence declared by PE, complete		
Appendix D of this checklist)		
Are the materials and construction of the containers compatible with the oil stored	YES NO NA	☐YES ☐ NO ☐ N/A
and the conditions of storage? 112.9(c)(1) EE □	_	
Do all tank battery, separation, and treating facility installations have adequate	DYES NO NA	☐YES ☐NO ☐N/A
secondary means of containment for the capacity of the largest single container plus sufficient freeboard for precipitation? 112.9(c)(2)		
Is drainage from undiked areas confined in a catchment basin or holding pond?	☐ Adeq ☐ Inad ☐ N/A	YES NO DMA
112.9(c)(2)		
Are containers, including tank foundation and supports, visually inspected for deterioration and maintenance needs on a periodic and regularly scheduled basis?	YES DINO DINA	DYES NO N/A
112.9(c)(3) EE		
- At what frequency?:		
)		YES NO N/A
- Daily, or	YES NO PHIA	E 123 EINO LIN/A
- Weekly, or \ not speek cock,		YES ONO ON/A
- Weekly, or > no + s year Cren,	YES NO ZIN/A	TES LINO LINA
– Monthly, or	YES NO NA	YES NO NA
Monthly, of		
- Annual, or	YES INO DAVA	YES NO NA
- Other?	YES DAO DINA	YES NO NA
Are tank battery installations in accordance with good engineering practice?	PYES NO N/A	YES NO NA
112.9(c)(4) (One or more of the following must be satisfied)		
Do containers have:		
Do containers have.		
- Adequate capacity to prevent overfill if a pumper/gauger is delayed in	YES NO N/A	YES NO NA
making regularly scheduled rounds? 112.9(c)(4)(i) or EE	E TEO E NO E NA	
- Overflow equalizing lines between containers so that a full container can	YES NO NA	YES NO NA
overflow to an adjacent container? 112.9(c)(4)(ii) or EE □		
Wanted the desired and the second an		The Buy
- Vacuum protection to prevent container collapse? 112.9(c)(4)(iii) or EE □	YES DNO NA	YES NO NA
High level sensors to generate and transmit alarms where facilities are next	DIES NO NA	YES NO NA
- High level sensors to generate and transmit alarms where facilities are part of a computer production control system? 112.9(c)(4)(iv) EE □	TES LINU LIN/A	L ILO, LINO LINA
Comment:		
	•	•

FACILITY TRANSFER OPERATIONS; OIL PRODUCTION FACILITY 112.9 (d).	Plan Review	Field Verification
Environmental Equivalence: [] (If environmental equivalence declared by PE, complete		
Appendix D of this checklist)		
Are aboveground valves/piping, associated with transfer operations, inspected	☐YES ☐MO ☐N/A	☑YES ☐ NO ☐ N/A
periodically on a regular schedule (to include flange joints, valve glands, drip pans,		
pipe supports, stuffing boxes, bleeder/gauge valves, etc.)? 112.9(d)(1)	* •	
- At what frequency:	• •	
- Daily, or	YES THO NA	YES NO NA
- Weekly, or) not spec Creat	YES NO DINA	TYES NO N/A
– Monthly, or	YES NO NA	ZYES NO NA
- Annual, or	LYES TANO LINA	MYES NO N/A
- Other?	□ YES □NO □ N/A	ZYES NO NA
Are saltwater (oil field brine) disposal facilities examined often to detect possible system upsets capable of causing a discharge particularly following a sudden	□ YES ☑ NO □ N/A	☐YES □ NO □ N/A
change in atmospheric conditions? 112.9(d)(2) EE □		
Is there a facility flowline maintenance program established and implemented? 112.9(d)(3) EE	YES NO NA	PYES NO N/A
Comment:	-	
·		
		<u> </u>

Qualified Facilities Checklist

Appendix A: Qualified Facility Plan Requirements

Complete this Appendix only if the facility is a "qualified facility" as defined in §112.3(g). A qualified facility's Plan, whether certified by a PE or self-certified, must comply with all of the applicable requirements of §112.7 and subparts B and C of 40 CFR Part 112 referenced earlier in this checklist.

SPCC Inspection #: F	Y-INSP-	100	124	
112:6-Qualified Facility Plan Requirements	Yes	No.	N/A	
(a) Did the owner/operator of the qualified facility self-certify the SPCC Plan?				
If NO, see requirements for 112.3(d) above. If YES, did the owner/operator certify in the Plan that:				
(1) He or she is familiar with the requirements of 40 CFR part 112.				
(2) He or she has visited and examined the facility.				
(3) The Plan has been prepared in accordance with accepted and sound industry practices and standards.				
(4) Procedures for required inspections and testing have been established.				
(5) The Plan is being fully implemented.				
(6) The facility meets the qualification criteria set forth under §112.3 (g).	<u> </u>			
(7) The Plan does not deviate from any requirements as allowed by §112.7(a)(2) and 112.7(d), except as described under §112.6(c).				
(8) Management has given full approval of the Plan and necessary resources have been committed for the Plan's full implementation.			/	
(b) Did the owner/operator self-certify any of the Plan's technical amendments?				
If YES: Is the certification of any technical amendments in accordance with the provisions above (§112.6(a))?			\	
(c)(1) and (d)(1) Environmental Equivalence. For each alternative measure allowed under §112.7(a)(2), the Plan is accompanied by a written statement by a PE that states the reason for nonconformance and describes the alternative method and how it provides equivalent environmental protection in accordance with §112.7(a)(2).				
(c)(2) and (d)(1) Impracticability. For each determination of impracticability of secondary containment pursuant to §112.7(d), the Plan clearly explains why secondary containment measures are not practicable at this facility and provides the alternative measures required in §112.7(d) in lieu of secondary containment.		·		
(c)(3) Security. The Plan contains one of the following: (i) The Plan complies with requirements under §112.7(g), OR (ii) The Plan complies with the requirements under §112.6(c)(3)(ii): Plan describes how the owner/operator secures and controls access to the oil handling, processing and storage areas; secures master flow and drain valves; prevents unauthorized access to starter controls on oil pumps; secures out-of-service and loading/unloading connections of oil pipelines; addresses the appropriateness of security lighting to both prevent acts of vandalism and assist in the discovery of oil discharges.				
 (c)(4) Bulk Storage Containers. The Plan contains one of the following: (i) The Plan complies with the requirements under §§112.8(c)(6) or 112.12(c)(6), as applicable; OR (ii) The Plan complies with the requirements under §112.6(c)(4)(ii): Aboveground containers, supports and foundations tested for integrity on a regular schedule and whenever repairs are made. Appropriate qualifications for personnel performing tests and inspections have been determined in accordance with industry standards. The frequency and type of testing and inspections have been determined in accordance with industry standards, taking into account container size, configuration and design. Container supports and foundations regularly inspected Outside of containers frequently inspected for signs of deterioration, discharges, or accumulation of oil inside diked areas Records of inspections and tests maintained (d) Did a PE certify a portion of a qualified facility's self-certified Plan? 				
ray and a farming a farming results of some solutions in the second seco	1 '	1] .

If YES , the PE must cer	tify in the Plan that:	· · · · · · · · · · · · · · · · · · ·		<u>** * </u>			$\overline{}$
(d)(2)					+		
(i) He/she is familiar with t	he requirements of	40 CFR Part 112.			`		1
(ii) He/she or a representa	itive agent has visite	ed and examined th	e facility.		.		
(iii) The alternative method	d of environmental e	equivalence in acco	rdance with §112.7	(a)(2) or the		• •	
determination of impractic with good engineering pra	ability and alternative	e measures in acci sideration of applica	ordance with §112	rds and with the			
requirements of 40 CFR F	art 112.	sidor dilorr or applica	able inductify staride	irdo, dila wiai alo			
	•	<u> </u>					
(b)(1) If a PE certified a portion	n of the Plan, did a P	PE certify any techr	nical amendments t	nat affect this			-
portion of the Plan? Comments:		·					
Commonto.							
						•	· \
				e de la companya de l			
			•			•	
			. •		. ,		
		•		*	•	ı	
	,		,				Ĭ.
	•				•		
		,					
	•						ŀ
	N.	• • •				1,	
	•			•			· 1
							·
			•	•			
		•				. :	ĺ
				•			•
	•			•		•	, :
							1
. •		*				· .	
•	•	· .	•				
				• •		÷	
	•			1. * *			.,
,		-	•	• • •			
				er e e			٠,
	•		*	girth a	-		
		·	٠.			. 5	
:			÷.				
ı			·				
		•					٠ .
	•			•			
							, l

Арр	endix B: Container Inspection Fo	orm ,
Container ID: 136085	SPCO	Inspection #: FY-INSP-
Maximum capacity (gal): 43,000	Container height (ft):	4/
Nominal capacity (gal):	Container diameter (ft): 2	<u>0</u> Year Built:
(g-/)		
Current Status: Active Standby	☐ Out of service ☐ Closed	
Material(s) Stored in Container:		
	Diesel	☐ Vegetable oil/animal fats, grease
Other:	Diesei 🔲 i dei oii 🔲 dei idei	
Coptainer Type:		`
Vertical Cylindrical	☐ External Floating Roof	☐ Geodesic Dome
Fixed Roof (Vented)	Internal Floating Roof	☐ Spheroid
Coned Roof – (Vented)	Hemispheroid (Noded)	☐ Horizontal Cylindrical
Coned Roof – (Not Vented)	Hemispheriod (Not Noded)	Other:
		Other.
Container Material:		
Single Wall Steel	Not Painted	☐ Wooden
Double Wall Steel	Fiberglass Reinforced Plastic	Other:
Painted	Composite (steel with fiberglass)	
Container Construction:	d ☐ Riveted ☐ Bolted ☐	Shop Fabricated
Container Cathodic Protection:	None	☐ Impressed Current
Inspect container including the base fo	r leaks, specifically looking for:	
Drips, weeps, & stains:	Discoloration of tank:	Corrosion:
☐ Check if present and check if:	☐ Check if present and check if:	☐ Check if present and check if:
Acceptable	Acceptable	Acceptable
⊘f , if Unacceptable □,	9- r,-if Unacceptable □,	Or, if Unacceptable [],
☐ Adequate	Adequate	Adequate
Comment on container inspection:		
1		
	· · · · · · · · · · · · · · · · · · ·	
Container Foundation Material:		
Earthen Material Ring Wall	Concrete (w/impermeable mat	.) Concrete (w/o
impermeable mat.)	Consider (wimpermeable man	.) Gondrete (w/o
Steel Unknown Other:		
		
Inspect container foundation, specification	ally looking for:	
Cracks:	Settling:	Gaps (between tank and foundation):
☐ Check if present and check if:	☐ Check if present and check if:	☐ Check if present and check if:
Acceptable	Acceptable	Acceptable
Ør̂ , if Unacceptable □,	Or, if Unacceptable □,	, if Unacceptable □,
Adequate	Adequate	Adequate

Comment on foundation inspection:			·	4;
	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	<u></u>	<u> </u>		<u> </u>
Container Piping Construction:	<u> </u>		·	
	round	re) Steel (painted) 🗌 St	eel (galvanized)
☐ Double walled ☐ Copper	☐ Fiberglas	s reinforced plastic	Ur	nknown
Other: Paint is deteric	rated and	Starting Je	o rust.	
Inspect pipes/valves, specifically look	ing for:			
Leaks at joints, seams, valves:	Discoloration:		Corrosion:	
☐ Check if present and if:	☑ Check if prese	ent and if:	Check if pre	esent and if:
Acceptable	Accepta	able 🗹	Acce	ptable 🛮
Or, if Unacceptable □,	Or, if Unacce	eptable [],	Or, if Una	cceptable ,
☑ Adequate	☐ Adequate		☐ Adequate	
Bowing of pipe:	_Pooling of store	d material:		
☐ Check if present and if:	☐ Check if prese	ent and if:		-
Acceptable 🔲	Accepta			
Or, if Unacceptable [],	Or, if Unacce	eptable □,	**	•
☑ Adequate	☐ Adequate		<u> </u>	,
Comment on piping/valve inspection:	some discolor	ration and	d corcos	100
		/		
	· · · · · · · · · · · · · · · · · · ·	<u></u>		
<u></u>	· · · · · · · · · · · · · · · · · · ·	·	·	
Secondary Containment Types:				
☑ Dikes/berms/retaining walls	☐ Curbing	☐ Culverts and/or	r gutters 🔲	Spill diversion ponds
Sorbent Materials	☐ Retention Ponds	☐ Weirs and/or be	ooms	
Other - Loc.:				
Secondary Containment Checklist:				
☐ Capacity does not appear to be adec	quate?	□ Drainage mech	nanism manually o	perated?
Not sufficiently impervious to stored	material?		ored material with	
Standing water within dike or berm?		☐ Debris/vegetati	ion within or on the	e dike or berm area?
Erosion or corrosion of dike or berm?	?	•		
Location:		· 11	 ,	1-6-12
Comment on containment inspection:	Pesks and V	uleys alon	9 Derm	ground tanges
Dics: 5:90 (1530); Ta	Λια	(100)	5000	1500
140 (1230) - 19	VK MINIAM	1255/j-1065	<u> </u>	J.2.2.T.J
		<u> </u>		

SPCC CONTINGENCY PLAN REVIEW CHECKLIST

Appendix C: 40 CFR Part 109-Criteria for State, Local and Regional Oil Removal Contingency Plans

NA

If a facility makes an impracticability determination for secondary containment in accordance with §112.7(d), it is required to provide an oil spill contingency plan following 40 CFR, part 109. Items below must be addressed in the Plan and implemented at the facility.

	<u>ر ۵د</u>	29
109.5-Development and implementation criteria for State, local and regional oil removal contingency plans:	Yes	No
(a) Definition of the authorities, responsibilities and duties of all persons, organizations or agencies which are to be involved in planning or directing oil removal operations.		
(b) Establishment of notification procedures for the purpose of early detection and timely notification of an oil discharge including:		
(1) The identification of critical water use areas to facilitate the reporting of and response to oil discharges.		
(2) A current list of names, telephone numbers and addresses of the responsible persons (with alternates) and organizations to be notified when an oil discharge is discovered.		
(3) Provisions for access to a reliable communications system for timely notification of an oil discharge, and the capability of interconnection with the communications systems established under related oil removal contingency plans, particularly State and National plans (e.g., NCP).		
(4) An established, prearranged procedure for requesting assistance during a major disaster or when the situation exceeds the response capability of the State, local or regional authority.		
(c) Provisions to assure that full resource capability is known and can be committed during an oil discharge situation including:		
(1) The identification and inventory of applicable equipment, materials and supplies which are available locally and regionally.		
(2) An estimate of the equipment, materials and supplies which would be required to remove the maximum oil discharge to be anticipated.		
(3) Development of agreements and arrangements in advance of an oil discharge for the acquisition of equipment, materials and supplies to be used in responding to such a discharge.		
(d) Provisions for well defined and specific actions to be taken after discovery and notification of an oil discharge including:		
(1) Specification of an oil discharge response operating team consisting of trained, prepared and available operating personnel.		
(2) Pre-designation of a properly qualified oil discharge response coordinator who is charged with the responsibility and delegated commensurate authority for directing and coordinating response operations and who knows how to request assistance from Federal authorities operating under existing national and regional contingency plans.		
(3) A preplanned location for an oil discharge response operations center and a reliable communications system for directing the coordinated overall response operations.		
(4) Provisions for varying degrees of response effort depending on the severity of the oil discharge.		
(5) Specification of the order of priority in which the various water uses are to be protected where more than one water use may be adversely affected as a result of an oil discharge and where response operations may not be adequate to protect all uses.		
(e) Specific and well defined procedures to facilitate recovery of damages and enforcement measures as provided for by State and local statutes and ordinances.		

Environmental Equivalence (EE) Checklist

Appendix D: Environmental Equivalence Requirements

NID

Complete this Appendix only if the facility has declared "environmental equivalence" measures as described in § 112.7(a)(2). Facility owners and operators have the flexibility to deviate from specific rule provisions if the Plan states the reason for nonconformance and if equivalent environmental protection is provided by some other means of SPCC. EE declarations must be certified by a PE. For EE declarations, see portions of checklist referenced earlier.

SPCC Citation:	SPCC Inspection #: FY-INSI	- 100124
Is there written documentation validating/explaining rational for non-corequirements?	onformance with the SPCC	YES NO
Is there written documentation outlining/detailing how the alternative menvironmental equivalence? and,	nethod achieves	YES NO
Is the alternative method:	<u> </u>	<u>'</u>
		YES NO
Technically feasible?		
Logistically sound?		YES NO
Practicable?	· · · · · · · · · · · · · · · · · · ·	YES NO
		· · · · · · · · · · · · · · · · · · ·
Name of Professional Engineer:		· · · · · · · · · · · · · · · · · · ·
License Number: State:	· ·	
Other PE certification requirements: Did a PE certify a portion of a qualified facility's self-certified Plan?	ves 🗆 No	
Did a PE certify a portion of a qualified facility's self-certified Plan?	TEO INU	
Description of environmental equivalence.		
	•	
	·	<u> </u>
Inspector Comment:		
	•	

^{*} Use additional Appendix D forms for multiple Environmental Equivalent declarations.